


GES...MK
WF-GE...MK

A




Order Example 订货示例			
Material 材质	Example 示例	Order Code 订货号	
Steel, zinc plated 碳钢, 镀锌	WF- GE06LM12K	2.17. 01 .0001	
1.4301 不锈钢, 304	WF- GE06LM12K -SS	2.17. 02 .0001	
1.4404 不锈钢, 316L	WF- GE06LM12K -SU	2.17. 03 .0001	

Series 系列	W.P. Bar 工作压力	Tube O.D. 管子外径	Only Body Type 接头体	Order Code 订货号	Walform plus Type Walform plus	Order Code 订货号							Weight kg 重量
L	315	6	GES06LM12K	2.03.01.0001	WF-GE06LM12K	2.17.01.0001	M 12x1.5 k	34.5	20.0	12.0	14.0	14.00	0.03
		8	GES08LM12K	2.03.01.0002	WF-GE08LM12K	2.17.01.0002	M 12x1.5 k	34.5	20.0	12.0	14.0	17.00	0.04
		8	GES08LM14K	2.03.01.0003	WF-GE08LM14K	2.17.01.0003	M 14x1.5 k	34.5	20.0	12.0	17.0	17.00	0.04
		10	GES10LM14K	2.03.01.0004	WF-GE10LM14K	2.17.01.0004	M 14x1.5 k	35.5	21.0	12.0	17.0	19.00	0.05
		10	GES10LM16K	2.03.01.0005	WF-GE10LM16K	2.17.01.0005	M 16x1.5 k	35.5	21.0	12.0	17.0	19.00	0.05
		12	GES12LM16K	2.03.01.0006	WF-GE12LM16K	2.17.01.0006	M 16x1.5 k	36.5	22.0	12.0	19.0	22.00	0.06
		12	GES12LM18K	2.03.01.0007	WF-GE12LM18K	2.17.01.0007	M 18x1.5 k	36.5	22.0	12.0	19.0	22.00	0.07
		15	GES15LM18K	2.03.01.1396	WF-GE15LM18K	2.17.01.0008	M 18x1.5 k	40.0	23.0	12.0	24.0	27.00	0.09
S	630	18	GES18LM22K	2.03.01.1397	WF-GE18LM22K	2.17.01.0009	M 22x1.5 k	42.0	25.5	14.0	27.0	32.00	0.14
		6	GES06SM12K	2.03.01.1398	WF-GE06SM12K	2.17.01.0010	M 12x1.5 k	39.5	25.0	12.0	17.0	17.00	0.05
		8	GES08SM14K	2.03.01.1399	WF-GE08SM14K	2.17.01.0011	M 14x1.5 k	39.5	25.0	12.0	17.0	19.00	0.59
		10	GES10SM16K	2.03.01.1400	WF-GE10SM16K	2.17.01.0012	M 16x1.5 k	40.5	24.5	12.0	19.0	22.00	0.08
		12	GES12SM18K	2.03.01.1401	WF-GE12SM18K	2.17.01.0013	M 18x1.5 k	42.5	26.5	12.0	22.0	24.00	0.10
		14	GES14SM20K	2.03.01.1402	WF-GE14SM20K	2.17.01.0014	M 20x1.5 k	46.0	28.5	14.0	27.0	27.00	0.15
		400	GES16SM22K	2.03.01.1403	WF-GE16SM22K	2.17.01.0015	M 22x1.5 k	46.0	28.0	14.0	27.0	30.00	0.16

GES...RK
WF-GE...RK

A




Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel, zinc plated 碳钢, 镀锌		WF-GE06LR1/4K	2.17.01.0016
1.4301 不锈钢, 304		WF-GE06LR1/4K -SS	2.17.02.0016
1.4404 不锈钢, 316L		WF-GE06LR1/4K -SU	2.17.03.0016

Series 系列	W.P. Bar 工作压力	Tube O.D. 管子外径	Only Body Type 接头体型号	Order Code 订货号	Walform plus Type 订货号	Order Code 订货号	RK	L1	L2	i	S1	S2	Weight kg 重量
L	315	6	GES06LR1/4K	2.03.01.0008	WF-GE06LR1/4K	2.17.01.0016	R1/4 K	34.5	19.0	12.0	14.0	14.0	0.03
		8	GES08LR1/4K	2.03.01.0009	WF-GE08LR1/4K	2.17.01.0017	R1/4 K	34.5	20.0	12.0	14.0	17.0	0.04
		8	GES08LR3/8K	2.03.01.0010	WF-GE08LR3/8K	2.17.01.0018	R3/8 K	34.5	16.5	12.0	17.0	17.0	0.05
		10	GES10LR1/4K	2.03.01.0011	WF-GE10LR1/4K	2.17.01.0019	R1/4 K	35.5	21.0	12.0	17.0	19.0	0.05
		10	GES10LR3/8K	2.03.01.0012	WF-GE10LR3/8K	2.17.01.0020	R3/8 K	35.5	21.0	12.0	17.0	19.0	0.05
		12	GES12LR1/4K	2.03.01.0013	WF-GE12LR1/4K	2.17.01.0021	R1/4 K	36.5	23.0	12.0	19.0	22.0	0.06
		12	GES12LR3/8K	2.03.01.0014	WF-GE12LR3/8K	2.17.01.0022	R3/8 K	36.5	21.0	12.0	19.0	22.0	0.06
		12	GES12LR1/2K	2.03.01.0015	WF-GE12LR1/2K	2.17.01.0023	R1/2 K	38.5	23.0	14.0	22.0	22.0	0.08
		15	GES15LR1/2K	2.03.01.0016	WF-GE15LR1/2K	2.17.01.0024	R1/2 K	40.0	24.0	14.0	24.0	27.0	0.10
		15	GES15LR3/8K	2.03.01.1385	WF-GE15LR3/8K	2.17.01.0025	R3/8K	39.0	22.0	12.0	24.0	27.0	0.09
		18	GES18LR1/2K	2.03.01.1386	WF-GE18LR1/2K	2.17.01.0026	R1/2 K	42.0	24.5	14.0	27.0	32.0	0.14
		22	GES22LR3/4K	2.03.01.1387	WF-GE22LR3/4K	2.17.01.0027	R3/4 K	46.0	28.0	16.0	32.0	36.0	0.18
S	250	28	GES28LR1K	2.03.01.1388	WF-GE28LR1K	2.17.01.0028	R1 K	51.5	31.0	18.0	41.0	41.0	0.26
		6	GES 06S R1/4K	2.03.01.1389	WF-GE06S R1/4K	2.17.01.0029	R1/4 K	39.5	21.0	12.0	14.0	17.0	0.05
	630	8	GES 08S R1/4K	2.03.01.1390	WF-GE08S R1/4K	2.17.01.0030	R1/4 K	39.5	23.0	12.0	17.0	19.0	0.06
		10	GES10SR3/8K	2.03.01.1391	WF-GE10SR3/8K	2.17.01.0031	R3/8 K	40.5	23.0	12.0	17.0	22.0	0.08
		12	GES12S R3/8K	2.03.01.1392	WF-GE12S R3/8K	2.17.01.0032	R3/8 K	42.5	25.0	12.0	22.0	24.0	0.10
		14	GES14S R1/2K	2.03.01.1393	WF-GE14S R1/2K	2.17.01.0033	R1/2 K	46.0	29.0	14.0	24.0	27.0	0.15
	400	16	GES16S R1/2K	2.03.01.1394	WF-GE16S R1/2K	2.17.01.0034	R1/2 K	46.0	28.5	14.0	27.0	30.0	0.16
		20	GES20S R3/4K	2.03.01.1395	WF-GE20S R3/4K	2.17.01.0035	R3/4 K	48.0	32.0	16.0	32.0	36.0	0.25

GES...NPT
WF-GE...NPT

A




Order Example 订货示例			
Material 材质	Example 示例	Order Code 订货号	
Steel, zinc plated 碳钢, 镀锌	WF- GE06L1/8NPT	2.17.01.0036	
1.4301 不锈钢, 304	WF- GE06L1/8NPT-SS	2.17.02.0036	
1.4404 不锈钢, 316L	WF- GE06L1/8NPT-SU	2.17.03.0036	

Series	W.P. Bar 工作压力	Tube O.D. 管子外径	Only Body Type 接头体型号	Order Code 订货号	Walform plus Type Walform plus	Order Code 订货号	NPT	L2	L5	I	i	S1	S2	Weight kg 重量
L	315	6	GES06L1/8NPT	2.03.01.0017	WF-GE06L1/8NPT	2.17.01.0036	1/8NPT	32.0	24.0	17.0	10.0	12.0	14.0	0.012
		6	GES06L1/4NPT	2.03.01.0018	WF-GE06L1/4NPT	2.17.01.0037	1/4NPT	38.0	30.0	23.0	14.5	17.0	14.0	0.027
		8	GES08L1/4NPT	2.03.01.0019	WF-GE08L1/4NPT	2.17.01.0038	1/4NPT	38.0	30.0	23.0	14.5	17.0	17.0	0.025
		10	GES10L1/4NPT	2.03.01.0020	WF-GE10L1/4NPT	2.17.01.0039	1/4NPT	39.0	31.0	24.0	14.5	17.0	19.0	0.025
		10	GES10L3/8NPT	2.03.01.0021	WF-GE10L3/8NPT	2.17.01.0040	3/8NPT	40.0	32.0	25.0	14.5	19.0	19.0	0.040
		12	GES12L1/4NPT	2.03.01.0022	WF-GE12L1/4NPT	2.17.01.0041	1/4NPT	40.0	32.0	25.0	14.5	19.0	22.0	0.031
		12	GES12L3/8NPT	2.03.01.0023	WF-GE12L3/8NPT	2.17.01.0042	3/8NPT	40.0	32.0	25.0	14.5	19.0	22.0	0.037
		12	GES12L1/2NPT	2.03.01.0024	WF-GE12L1/2NPT	2.17.01.0043	1/2NPT	45.0	37.0	30.0	19.5	22.0	22.0	0.062
		15	GES15L1/2NPT	2.03.01.0025	WF-GE15L1/2NPT	2.17.01.0044	1/2NPT	46.0	38.0	31.0	19.5	24.0	27.0	0.063
		18	GES18L1/2NPT	2.03.01.0026	WF-GE18L1/2NPT	2.17.01.0045	1/2NPT	48.0	39.0	31.5	19.5	27.0	32.0	0.079
	250	22	GES22L3/4NPT	2.03.01.0027	WF-GE22L3/4NPT	2.17.01.0046	3/4NPT	50.0	41.0	33.5	19.5	32.0	36.0	0.108
		28	GES28L1NPT	2.03.01.0028	WF-GE28L1NPT	2.17.01.0047	1NPT	56.0	47.0	39.5	24.5	41.0	41.0	0.197
		35	GES35L11/4NPT	2.03.01.0029	WF-GE35L11/4NPT	2.17.01.0048	11/4NPT	62.0	51.0	40.5	25.0	46.0	50.0	0.285
		42	GES42L11/2NPT	2.03.01.0030	WF-GE42L11/2NPT	2.17.01.0049	11/2NPT	65.0	53.0	42.0	26.0	55.0	60.0	0.377
S	630	6	GES06S1/4NPT	2.03.01.0031	WF-GE06S1/4NPT	2.17.01.0050	1/4NPT	43.0	35.0	28.0	14.5	17.0	17.0	0.037
		8	GES08S1/4NPT	2.03.01.0032	WF-GE08S1/4NPT	2.17.01.0051	1/4NPT	43.0	35.0	28.0	14.5	17.0	19.0	0.038
		10	GES10S1/4NPT	2.03.01.0033	WF-GE10S1/4NPT	2.17.01.0052	1/4NPT	44.0	35.0	27.5	14.5	19.0	22.0	0.045
		10	GES10S3/8NPT	2.03.01.0034	WF-GE10S3/8NPT	2.17.01.0053	3/8NPT	44.0	35.0	27.5	14.5	19.0	22.0	0.049
		12	GES12S1/4NPT	2.03.01.0035	WF-GE12S1/4NPT	2.17.01.0054	1/4NPT	46.0	37.0	29.5	14.5	22.0	24.0	0.057
		12	GES12S3/8NPT	2.03.01.0036	WF-GE12S3/8NPT	2.17.01.0055	3/8NPT	46.0	37.0	29.5	14.5	22.0	24.0	0.062
		12	GES12S1/2NPT	2.03.01.0037	WF-GE12S1/2NPT	2.17.01.0056	1/2NPT	51.0	42.0	34.5	19.5	22.0	24.0	0.083
		14	GES14S1/2NPT	2.03.01.0038	WF-GE14S1/2NPT	2.17.01.0057	1/2NPT	54.0	44.0	36.0	19.5	24.0	27.0	0.089
	400	16	GES16S1/2NPT	2.03.01.0039	WF-GE16S1/2NPT	2.17.01.0058	1/2NPT	58.0	48.0	39.5	19.5	32.0	30.0	0.097
		20	GES20S3/4NPT	2.03.01.0040	WF-GE20S3/4NPT	2.17.01.0059	3/4NPT	59.0	48.0	37.5	19.5	32.0	36.0	0.149
		25	GES25S1NPT	2.03.01.0041	WF-GE25S1NPT	2.17.01.0060	1NPT	69.0	57.0	45.0	24.5	41.0	46.0	0.278
		30	GES30S11/4NPT	2.03.01.0042	WF-GE30S11/4NPT	2.17.01.0061	11/4NPT	73.0	60.0	46.5	25.0	46.0	50.0	0.397
	315	38	GES38S11/2NPT	2.03.01.0043	WF-GE38S11/2NPT	2.17.01.0062	11/2NPT	80.0	65.0	49.0	26.0	55.0	60.0	0.571

GES...UNF/UN
WF-GE...UNF/UN

A




Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel, zinc plated 碳钢, 镀锌		WF- GE06L9/16UNF	2.17.01.0063
1.4301 不锈钢, 304		WF- GE06L9/16UNF-SS	2.17.02.0063
1.4404 不锈钢, 316L		WF- GE06L9/16UNF-SU	2.17.03.0063

Series	W.P.	Tube O.D.	Only Body	Order Code	Walform plus	Order Code											O-ring	Weight
系列	Bar	管子外径	Type	订货号	Type	订货号	UNF	L2	L5	I	i	d	S1	S2	0型圈	重量		
L	315	6	GES06L9/16UNF	2.03.01.0044	WF-GE06L9/16UNF	2.17.01.0063	9/16-18UNF	25.0	17.0	10.0	10.0	16.8	19.0	14.0	11.9x1.98	0.023		
		8	GES08L7/16UNF	2.03.01.0045	WF-GE08L7/16UNF	2.17.01.0064	7/16-20UNF	25.0	17.0	10.0	9.0	13.8	17.0	17.0	8.92x1.83	0.021		
		8	GES08L9/16UNF	2.03.01.0046	WF-GE08L9/16UNF	2.17.01.0065	9/16-18UNF	25.0	17.0	10.0	10.0	16.8	19.0	17.0	11.9x1.98	0.023		
		10	GES10L7/16UNF	2.03.01.0047	WF-GE10L7/16UNF	2.17.01.0066	7/16-20UNF	26.0	18.0	11.0	9.0	13.8	17.0	19.0	8.92x1.83	0.023		
		10	GES10L9/16UNF	2.03.01.0048	WF-GE10L9/16UNF	2.17.01.0067	9/16-18UNF	26.0	18.0	11.0	10.0	16.8	19.0	19.0	11.9x1.98	0.050		
		10	GES10L3/4UNF	2.03.01.0049	WF-GE10L3/4UNF	2.17.01.0068	3/4-16UNF	28.0	20.0	13.0	11.0	21.8	24.0	19.0	16.36x2.20	0.080		
		12	GES12L9/16UNF	2.03.01.0050	WF-GE12L9/16UNF	2.17.01.0069	9/16-18UNF	26.0	18.0	11.0	10.0	26.8	19.0	22.0	11.9x1.98	0.032		
		12	GES12L3/4UNF	2.03.01.0051	WF-GE12L3/4UNF	2.17.01.0070	3/4-16UNF	28.0	20.0	13.0	11.0	21.8	24.0	22.0	16.36x2.20	0.052		
		12	GES12L7/8UNF	2.03.01.0052	WF-GE12L7/8UNF	2.17.01.0071	7/8-14UNF	29.0	21.3	14.3	12.7	26.8	27.0	22.0	19.18x2.46	0.077		
		15	GES15L3/4UNF	2.03.01.0053	WF-GE15L3/4UNF	2.17.01.0072	3/4-16UNF	29.0	21.0	14.0	11.0	21.8	24.0	27.0	16.36x2.20	0.057		
		15	GES15L7/8UNF	2.03.01.0054	WF-GE15L7/8UNF	2.17.01.0073	7/8-14UNF	30.0	22.3	15.3	12.7	26.8	27.0	27.0	19.18x2.46	0.081		
		18	GES18L3/4UNF	2.03.01.0055	WF-GE18L3/4UNF	2.17.01.0074	3/4-16UNF	31.0	22.0	14.5	11.0	21.8	27.0	32.0	16.36x2.20	0.068		
	18	GES18L7/8UNF	2.03.01.0056	WF-GE18L7/8UNF	2.17.01.0075	7/8-14UNF	31.0	22.3	14.8	12.7	26.8	27.0	32.0	19.18x2.46	0.072			
	250	22	GES22L7/8UNF	2.03.01.0057	WF-GE22L7/8UNF	2.17.01.0076	7/8-14UNF	33.0	24.3	16.8	12.7	26.8	32.0	36.0	19.18x2.46	0.094		
		22	GES22L11/16UN	2.03.01.0058	WF-GE22L11/16UN	2.17.01.0077	1 1/16-12UN	33.0	24.0	16.5	15.0	31.8	32.0	36.0	23.47x2.95	0.103		
		28	GES28L7/8UNF	2.03.01.0059	WF-GE28L7/8UN	2.17.01.0078	7/8-14UNF	34.0	25.0	17.5	12.7	26.8	41.0	41.0	19.18x2.46	0.132		
		28	GES28L15/16UN	2.03.01.0060	WF-GE28L15/16UN	2.17.01.0079	1 5/16-12UN	34.0	25.0	17.5	15.0	40.8	41.0	41.0	29.74x2.95	0.163		
		35	GES35L15/8UN	2.03.01.0061	WF-GE35L15/8UN	2.17.01.0080	1 5/8-12UN	39.0	28.0	17.5	15.0	49.8	50.0	50.0	37.46x3.00	0.257		
42		GES42L15/8UN	2.03.01.0062	WF-GE42L15/8UN	2.17.01.0081	1 5/8-12UN	42.0	30.0	19.0	15.0	49.8	55.0	55.0	37.46x3.00	0.339			
S	400	630	GES12S3/4UNF	2.03.01.0063	WF-GE12S3/4UNF	2.17.01.0082	3/4-16UNF	34.0	22.0	14.5	14.0	21.8	24.0	24.0	16.36x2.20	0.073		
		16	GES16S3/4UNF	2.03.01.0064	WF-GE16S3/4UNF	2.17.01.0083	3/4-16UNF	34.0	21.0	12.5	14.0	21.8	24.0	30.0	16.36x2.20	0.090		
		16	GES16S7/8UNF	2.03.01.0065	WF-GE16S7/8UNF	2.17.01.0084	7/8-14UNF	37.0	24.0	15.5	16.0	21.8	27.0	30.0	19.18x2.46	0.095		
		20	GES20S3/4UNF	2.03.01.0066	WF-GE20S3/4UNF	2.17.01.0085	3/4-16UNF	42.0	28.0	17.5	14.0	26.8	32.0	36.0	16.36x2.20	0.132		
		20	GES20S7/8UNF	2.03.01.0067	WF-GE20S7/8UNF	2.17.01.0086	7/8-14UNF	42.0	28.0	17.5	16.0	21.8	32.0	36.0	19.18x2.46	0.141		
		20	GES20S11/16UN	2.03.01.0068	WF-GE20S11/16UN	2.17.01.0087	1 1/16-12UN	42.0	27.5	17.0	18.5	26.8	32.0	36.0	23.47x2.95	0.163		
		25	GES25S15/16UN	2.03.01.0069	WF-GE25S15/16UN	2.17.01.0088	1 5/16-12UN	47.0	31.5	19.5	18.5	40.8	41.0	46.0	29.47x2.95	0.258		
		30	GES30S15/8UN	2.03.01.0070	WF-GE30S15/8UN	2.17.01.0089	1 5/8-12UN	50.0	33.5	20.0	18.5	49.8	50.0	50.0	37.46x3.00	0.422		

GES...G
WF-GE...G

A




Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel, zinc plated	碳钢, 镀锌	WF- GE06LG1/8	2.17.01.0090
1.4301	不锈钢, 304	WF- GE06LG1/8-SS	2.17.02.0090
1.4404	不锈钢, 316L	WF- GE06LG1/8-SU	2.17.03.0090

Series 系列	W.P. 工作压力	Tube O.D. 管子外径	Only Body Type 接头体	Order Code 订货号	Walform plus Type Walform plus	Order Code 订货号	G	L5	L2	I	i	d	S1	S2	Weight kg 重量
L	315	6	GES06LG1/8	2.03.01.0071	WF-GE06LG1/8	2.17.01.0090	G 1/8 A	15.5	23.0	8.5	8.0	14.0	14.0	14.0	0.014
		6	GES06LG1/4	2.03.01.0072	WF-GE06LG1/4	2.17.01.0091	G 1/4 A	17.0	25.0	10.0	12.0	18.0	19.0	14.0	0.060
		6	GES06LG3/8	2.03.01.0073	WF-GE06LG3/8	2.17.01.0092	G 3/8 A	18.5	26.0	11.5	12.0	22.0	22.0	14.0	0.045
		8	GES08LG1/4	2.03.01.0074	WF-GE08LG1/4	2.17.01.0093	G 1/4 A	17.0	25.0	10.0	12.0	18.0	19.0	17.0	0.026
		8	GES08LG1/8	2.03.01.0075	WF-GE08LG1/8	2.17.01.0094	G 1/8 A	16.5	23.0	8.5	8.0	14.0	14.0	17.0	0.016
		8	GES08LG3/8	2.03.01.0076	WF-GE08LG3/8	2.17.01.0095	G 3/8 A	18.5	26.0	11.5	12.0	22.0	22.0	17.0	0.044
		8	GES08LG1/2	2.03.01.0077	WF-GE08LG1/2	2.17.01.0096	G 1/2 A	19.0	27.0	12.0	14.0	26.0	27.0	17.0	0.074
		10	GES10LG1/4	2.03.01.0078	WF-GE10LG1/4	2.17.01.0097	G 1/4 A	18.0	26.0	11.0	12.0	18.0	19.0	19.0	0.031
		10	GES10LG3/8	2.03.01.0079	WF-GE10LG3/8	2.17.01.0098	G 3/8 A	19.5	27.0	12.5	12.0	22.0	22.0	19.0	0.044
		10	GES10LG1/2	2.03.01.0080	WF-GE10LG1/2	2.17.01.0099	G 1/2 A	20.0	28.0	13.0	14.0	26.0	27.0	19.0	0.072
		12	GES12LG1/4	2.03.01.0081	WF-GE12LG1/4	2.17.01.0100	G 1/4 A	19.0	27.0	12.0	12.0	18.0	19.0	22.0	0.032
		12	GES12LG3/8	2.03.01.0082	WF-GE12LG3/8	2.17.01.0101	G 3/8 A	19.5	27.0	12.5	12.0	22.0	22.0	22.0	0.043
		12	GES12LG1/2	2.03.01.0083	WF-GE12LG1/2	2.17.01.0102	G 1/2 A	20.0	28.0	13.0	14.0	26.0	27.0	22.0	0.067
		15	GES15LG3/8	2.03.01.0084	WF-GE15LG3/8	2.17.01.0103	G 3/8 A	20.5	29.0	13.5	12.0	22.0	24.0	27.0	0.056
		15	GES15LG1/2	2.03.01.0085	WF-GE15LG1/2	2.17.01.0104	G 1/2 A	21.0	29.0	14.0	14.0	26.0	27.0	27.0	0.072
		15	GES15LG3/4	2.03.01.0086	WF-GE15LG3/4	2.17.01.0105	G 3/4 A	22.0	30.0	15.0	16.0	32.0	32.0	27.0	0.118
		18	GES18LG1/2	2.03.01.0087	WF-GE18LG1/2	2.17.01.0106	G 1/2 A	22.0	31.0	14.5	14.0	26.0	27.0	32.0	0.072
		18	GES18LG3/4	2.03.01.0088	WF-GE18LG3/4	2.17.01.0107	G 3/4 A	22.0	30.0	14.5	16.0	32.0	32.0	32.0	0.112
L	250	22	GES22LG3/4	2.03.01.0089	WF-GE22LG3/4	2.17.01.0108	G 3/4 A	24.0	33.0	16.5	16.0	32.0	32.0	36.0	0.103
		22	GES22LG1/2	2.03.01.0090	WF-GE22LG1/2	2.17.01.0109	G 1/2 A	24.0	33.0	16.5	14.0	26.0	32.0	36.0	0.091
		28	GES28LG1	2.03.01.0091	WF-GE28LG1	2.17.01.0110	G 1 A	25.0	34.0	17.5	18.0	39.0	41.0	41.0	0.168
		28	GES28LG3/4	2.03.01.0092	WF-GE28LG3/4	2.17.01.0111	G 3/4 A	25.0	34.0	17.5	16.0	32.0	41.0	41.0	0.156
		35	GES35LG11/4	2.03.01.0093	WF-GE35LG11/4	2.17.01.0112	G 1 1/4 A	28.0	39.0	17.5	20.0	49.0	50.0	50.0	0.276
		42	GES42LG11/2	2.03.01.0094	WF-GE42LG11/2	2.17.01.0113	G 1 1/2 A	30.0	42.0	19.0	22.0	55.0	55.0	60.0	0.349

GES...G

WF-GE...G

A




Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel, zinc plated	碳钢, 镀锌	WF- GE06LG1/8	2.17. 01 .0114
1.4301	不锈钢, 304	WF- GE06LG1/8- SS	2.17. 02 .0114
1.4404	不锈钢, 316L	WF- GE06LG1/8- SU	2.17. 03 .0114

Series 系列	W.P. Bar 工作压力	Tube O.D. 管子外径	Only Body Type 接头体	Order Code 订货号	Walform plus Type Walform plus	Order Code 订货号	G	L5	L2	I	i	d	S1	S2	Weight kg 重量
S	630	6	GES06SG1/4	2.03.01.0095	WF-GE06SG1/4	2.17.01.0114	G 1/4 A	20.0	28.0	13.0	12.0	18.0	19.0	17.0	0.035
		8	GES08SG1/4	2.03.01.0096	WF-GE08SG1/4	2.17.01.0115	G 1/4 A	22.0	30.0	15.0	12.0	18.0	19.0	19.0	0.041
		8	GES08SG3/8	2.03.01.0097	WF-GE08SG3/8	2.17.01.0116	G 3/8 A	22.5	30.0	15.5	12.0	22.0	22.0	19.0	0.059
		10	GES10SG3/8	2.03.01.0098	WF-GE10SG3/8	2.17.01.0117	G 3/8 A	22.5	31.0	15.0	12.0	22.0	22.0	22.0	0.056
		10	GES10SG1/4	2.03.01.0099	WF-GE10SG1/4	2.17.01.0118	G 1/4 A	22.0	31.0	14.5	12.0	18.0	19.0	22.0	0.043
		10	GES10SG1/2	2.03.01.0100	WF-GE10SG1/2	2.17.01.0119	G 1/2 A	25.0	34.0	17.5	14.0	26.0	27.0	22.0	0.097
		12	GES12SG3/8	2.03.01.0101	WF-GE12SG3/8	2.17.01.0120	G 3/8 A	24.5	33.0	17.0	12.0	22.0	22.0	24.0	0.062
		12	GES12SG1/4	2.03.01.0102	WF-GE12SG1/4	2.17.01.0121	G 1/4 A	24.0	33.0	16.5	12.0	18.0	22.0	24.0	0.057
		12	GES12SG1/2	2.03.01.0103	WF-GE12SG1/2	2.17.01.0122	G 1/2 A	25.0	34.0	17.5	14.0	26.0	27.0	24.0	0.057
	400	14	GES14SG1/2	2.03.01.0104	WF-GE14SG1/2	2.17.01.0123	G 1/2 A	27.0	37.0	19.0	14.0	26.0	27.0	27.0	0.096
		16	GES16SG1/2	2.03.01.0105	WF-GE16SG1/2	2.17.01.0124	G 1/2 A	27.0	37.0	18.5	14.0	26.0	27.0	30.0	0.092
		16	GES16SG3/8	2.03.01.0106	WF-GE16SG3/8	2.17.01.0125	G 3/8 A	26.5	36.0	18.0	12.0	22.0	27.0	30.0	0.083
		16	GES16SG3/4	2.03.01.0107	WF-GE16SG3/4	2.17.01.0126	G 3/4 A	29.0	39.0	20.5	16.0	32.0	32.0	30.0	0.157
		20	GES20SG3/4	2.03.01.0108	WF-GE20SG3/4	2.17.01.0127	G 3/4 A	31.0	42.0	20.5	16.0	32.0	32.0	36.0	0.151
		20	GES20SG1/2	2.03.01.0109	WF-GE20SG1/2	2.17.01.0128	G 1/2 A	31.0	42.0	20.5	14.0	26.0	32.0	36.0	0.142
		25	GES25SG1	2.03.01.0110	WF-GE25SG1	2.17.01.0129	G 1 A	35.0	47.0	23.0	18.0	39.0	41.0	46.0	0.267
		25	GES25SG3/4	2.03.01.0111	WF-GE25SG3/4	2.17.01.0130	G 3/4 A	35.0	47.0	23.0	16.0	32.0	41.0	46.0	0.245
	250	30	GES30SG11/4	2.03.01.0112	WF-GE30SG11/4	2.17.01.0131	G 1 1/4 A	37.0	50.0	23.5	20.0	49.0	50.0	50.0	0.422
		38	GES38SG11/2	2.03.01.0113	WF-GE38SG11/2	2.17.01.0132	G 1 1/2 A	42.0	57.0	26.0	22.0	55.0	55.0	60.0	0.560
		38	GES38SG11/4	2.03.01.0114	WF-GE38SG11/4	2.17.01.0133	G 1 1/4 A	42.0	57.0	26.0	20.0	49.0	55.0	60.0	0.578

GES...G-WD
WF-GE...G-WD

A




Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel , zinc plated 碳钢, 镀锌		WF- GE06L G1/8WD	2.17.01.0134
1.4301 不锈钢, 304		WF- GE06L G1/8WD-SS	2.17.02.0134
1.4404 不锈钢, 316L		WF- GE06LG1/8WD-SU	2.17.03.0134

Series 系列	W.P. Bar 工作压力	Tube O.D. 管子外径	Only Body Type 接头体	Order Code 订货号	Walform plus Type 订货号	Order Code 订货号	G	L5	L2	l	i	d	S1	S2	Weight kg 重量
L	315	6	GES06L G1/8WD	2.03.01.0115	WF-GE06L G1/8WD	2.17.01.0134	G1/8	15.5	23.0	8.5	8.0	14.0	14.0	14.0	0.013
		6	GES06L G1/4WD	2.03.01.0116	WF-GE06L G1/4WD	2.17.01.0135	G1/4	17.0	25.0	10.0	12.0	19.0	19.0	14.0	0.028
		8	GES08L G1/4WD	2.03.01.0117	WF-GE08L G1/4WD	2.17.01.0136	G1/4	17.0	25.0	10.0	12.0	19.0	19.0	17.0	0.027
		8	GES08L G1/8WD	2.03.01.0118	WF-GE08L G1/8WD	2.17.01.0137	G1/8	16.5	24.0	9.5	8.0	14.0	14.0	17.0	0.016
		8	GES08L G3/8WD	2.03.01.0119	WF-GE08L G3/8WD	2.17.01.0138	G3/8	18.5	26.0	11.5	12.0	22.0	22.0	17.0	0.045
		10	GES10L G1/4WD	2.03.01.0120	WF-GE10L G1/4WD	2.17.01.0139	G1/4	18.0	26.0	11.0	12.0	19.0	19.0	19.0	0.029
		10	GES10L G3/8WD	2.03.01.0121	WF-GE10L G3/8WD	2.17.01.0140	G3/8	19.5	27.0	12.5	12.0	22.0	22.0	19.0	0.043
		10	GES10L G1/2WD	2.03.01.0122	WF-GE10L G1/2WD	2.17.01.0141	G1/2	20.0	28.0	13.0	14.0	27.0	27.0	19.0	0.071
		12	GES12L G1/4WD	2.03.01.0123	WF-GE12L G1/4WD	2.17.01.0142	G1/4	19.0	27.0	12.0	12.0	19.0	19.0	22.0	0.031
		12	GES12L G3/8WD	2.03.01.0124	WF-GE12L G3/8WD	2.17.01.0143	G3/8	19.5	27.0	12.5	12.0	22.0	22.0	22.0	0.041
		12	GES12L G1/2WD	2.03.01.0125	WF-GE12L G1/2WD	2.17.01.0144	G1/2	20.0	28.0	13.0	14.0	27.0	27.0	22.0	0.067
		15	GES15L G1/2WD	2.03.01.0126	WF-GE15L G1/2WD	2.17.01.0145	G1/2	21.0	29.0	14.0	14.0	27.0	27.0	27.0	0.072
		15	GES15L G3/8WD	2.03.01.0127	WF-GE15L G3/8WD	2.17.01.0146	G3/8	20.5	29.0	13.5	12.0	22.0	24.0	27.0	0.054
		18	GES18L G1/2WD	2.03.01.0128	WF-GE18L G1/2WD	2.17.01.0147	G1/2	22.0	31.0	14.5	14.0	27.0	27.0	32.0	0.071
		18	GES18L G3/4WD	2.03.01.0129	WF-GE18L G3/4WD	2.17.01.0148	G3/4	22.0	31.0	14.5	16.0	32.0	32.0	32.0	0.110
	250	22	GES22L G3/4WD	2.03.01.0130	WF-GE22L G3/4WD	2.17.01.0149	G3/4	24.0	33.0	16.5	16.0	32.0	32.0	36.0	0.102
		28	GES28L G1WD	2.03.01.0131	WF-GE28L G1WD	2.17.01.0150	G1	25.0	34.0	17.5	18.0	40.0	41.0	41.0	0.170
		35	GES35L G11/4WD	2.03.01.0132	WF-GE35L G11/4WD	2.17.01.0151	G1 1/4	28.0	39.0	17.5	20.0	50.0	50.0	50.0	0.272
		42	GES42L G11/2WD	2.03.01.0133	WF-GE42L G11/2WD	2.17.01.0152	G1 1/2	30.0	42.0	19.0	22.0	55.0	55.0	60.0	0.343

A

GES...G-WD
WF-GE...G-WD



Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel, zinc plated 碳钢, 镀锌		WF- GE06S G1/4WD	2.17.01.0153
1.4301 不锈钢, 304		WF- GE06SG1/4WD-SS	2.17.02.0153
1.4404 不锈钢, 316L		WF- GE06SG1/4WD-SU	2.17.03.0153


Series	W.P. Bar	Tube O.D.	Only Body Type	Order Code	Walform plus Type	Order Code											Weight kg
系列	工作压力	管子外径	接头体	订货号	Walform plus	订货号	G	L5	L2	l	i	d	S1	S2	重量		
S	630	6	GES06S G1/4WD	2.03.01.0134	WF-GE06S G1/4WD	2.17.01.0153	G1/4	20.0	28.0	13.0	12.0	19.0	19.0	17.0	0.035		
		8	GES08S G1/4WD	2.03.01.0135	WF-GE08S G1/4WD	2.17.01.0154	G1/4	22.0	30.0	15.0	12.0	19.0	19.0	19.0	0.041		
		8	GES08S G3/8WD	2.03.01.0136	WF-GE08S G3/8WD	2.17.01.0155	G3/8	22.5	30.0	15.5	12.0	22.0	22.0	19.0	0.057		
		10	GES10S G3/8WD	2.03.01.0137	WF-GE10S G3/8WD	2.17.01.0156	G3/8	22.5	31.0	15.0	12.0	22.0	22.0	22.0	0.055		
		10	GES10S G1/4WD	2.03.01.0138	WF-GE10S G1/4WD	2.17.01.0157	G1/4	22.0	31.0	14.5	12.0	19.0	19.0	22.0	0.042		
		10	GES10S G1/2WD	2.03.01.0139	WF-GE10S G1/2WD	2.17.01.0158	G1/2	25.0	34.0	17.5	14.0	27.0	27.0	22.0	0.097		
		12	GES12S G3/8WD	2.03.01.0140	WF-GE12S G3/8WD	2.17.01.0159	G3/8	24.5	33.0	17.0	12.0	22.0	22.0	24.0	0.062		
		12	GES12S G1/4WD	2.03.01.0141	WF-GE12S G1/4WD	2.17.01.0160	G1/4	24.0	33.0	16.5	12.0	19.0	22.0	24.0	0.061		
		12	GES12S G1/2WD	2.03.01.0142	WF-GE12S G1/2WD	2.17.01.0161	G1/2	25.0	34.0	17.5	14.0	27.0	27.0	24.0	0.099		
		14	GES14S G1/2WD	2.03.01.0143	WF-GE14S G1/2WD	2.17.01.0162	G1/2	27.0	37.0	19.0	14.0	27.0	27.0	27.0	0.096		
	400	16	GES16S G1/2WD	2.03.01.0144	WF-GE16S G1/2WD	2.17.01.0163	G1/2	27.0	37.0	18.5	14.0	27.0	27.0	30.0	0.091		
		16	GES16S G3/8WD	2.03.01.0145	WF-GE16S G3/8WD	2.17.01.0164	G3/8	26.5	36.0	18.0	12.0	22.0	27.0	30.0	0.083		
		16	GES16S G3/4WD	2.03.01.0146	WF-GE16S G3/4WD	2.17.01.0165	G3/4	29.0	39.0	20.5	16.0	32.0	32.0	30.0	0.152		
		20	GES20S G3/4WD	2.03.01.0147	WF-GE20S G3/4WD	2.17.01.0166	G3/4	31.0	42.0	20.5	16.0	32.0	32.0	36.0	0.149		
		25	GES25S G1WD	2.03.01.0148	WF-GE25S G1WD	2.17.01.0167	G1	35.0	47.0	23.0	18.0	40.0	41.0	46.0	0.266		
		25	GES25S G3/4WD	2.03.01.0149	WF-GE25S G3/4WD	2.17.01.0168	G3/4	35.0	47.0	23.0	16.0	32.0	41.0	46.0	0.255		
		30	GES30S G11/4WD	2.03.01.0150	WF-GE30S G11/4WD	2.17.01.0169	G1 1/4	37.0	50.0	23.5	20.0	50.0	50.0	50.0	0.418		
	315	38	GES38S G11/2WD	2.03.01.0151	WF-GE38S G11/2WD	2.17.01.0170	G1 1/2	42.0	57.0	26.0	22.0	55.0	55.0	60.0	0.563		

Male Stud Coupling
外螺纹管接头



GES...M
WF-GE...M

A




Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel, zinc plated 碳钢, 镀锌		WF- GE06LM10	2.17.01.0171
1.4301 不锈钢, 304		WF- GE06LM10 -SS	2.17.02.0171
1.4404 不锈钢, 316L		WF- GE06LM10 -SU	2.17.03.0171

Series 系列	W.P. Bar 工作压力	Tube O.D. 管子外径	Only Body Type 接头体型号	Order Code 订货号	Walform plus Type 订货号	Order Code 订货号	M	L5	L2	I	i	d	S1	S2	Weight kg 重量
L	315	6	GES06LM10	2.03.01.0152	WF-GE06LM10	2.17.01.0171	M10X1	15.5	23.0	8.5	8.0	14.0	14.0	14.0	0.013
		6	GES06LM12	2.03.01.0153	WF-GE06LM12	2.17.01.0172	M12X1.5	17.0	24.5	10.0	12.0	17.0	17.0	14.0	0.040
		8	GES08LM12	2.03.01.0154	WF-GE08LM12	2.17.01.0173	M12X1.5	17.0	25.0	10.0	12.0	17.0	17.0	17.0	0.022
		8	GES08LM18	2.03.01.0155	WF-GE08LM18	2.17.01.0174	M18X1.5	18.5	26.0	11.5	12.0	23.0	24.0	17.0	0.070
		10	GES10LM14	2.03.01.0156	WF-GE10LM14	2.17.01.0175	M14X1.5	18.0	26.0	11.0	12.0	19.0	19.0	19.0	0.031
		10	GES10LM16	2.03.01.0157	WF-GE10LM16	2.17.01.0176	M16X1.5	19.5	27.0	12.0	12.0	21.0	22.0	19.0	0.041
		10	GES10LM18	2.03.01.0158	WF-GE10LM18	2.17.01.0177	M18X1.5	19.5	27.0	12.5	12.0	23.0	24.0	19.0	0.050
		10	GES10LM22	2.03.01.0159	WF-GE10LM22	2.17.01.0178	M22X1.5	21.0	29.0	14.0	14.0	27.0	27.0	19.0	0.072
		12	GES12LM16	2.03.01.0160	WF-GE12LM16	2.17.01.0179	M16X1.5	19.5	27.0	12.5	12.0	21.0	22.0	22.0	0.040
		12	GES12LM18	2.03.01.0161	WF-GE12LM18	2.17.01.0180	M18X1.5	19.5	27.0	12.5	12.0	23.0	24.0	22.0	0.047
		12	GES12LM22	2.03.01.0162	WF-GE12LM22	2.17.01.0181	M22X1.5	21.0	29.0	14.0	14.0	27.0	27.0	22.0	0.076
		15	GES15LM18	2.03.01.0163	WF-GE15LM18	2.17.01.0182	M18X1.5	20.5	29.0	13.5	12.0	23.0	24.0	27.0	0.052
		15	GES15LM22	2.03.01.0164	WF-GE15LM22	2.17.01.0183	M22X1.5	22.0	30.0	15.0	14.0	27.0	27.0	27.0	0.077
		18	GES18LM18	2.03.01.0165	WF-GE18LM18	2.17.01.0184	M18X1.5	21.5	30.0	14.0	12.0	23.0	27.0	32.0	0.068
		18	GES18LM22	2.03.01.0166	WF-GE18LM22	2.17.01.0185	M22X1.5	22.0	31.0	14.5	14.0	27.0	27.0	32.0	0.077
		22	GES22LM26	2.03.01.0167	WF-GE22LM26	2.17.01.0186	M26X1.5	24.0	33.0	16.5	16.0	31.0	32.0	36.0	0.102
		250	GES28LM33	2.03.01.0168	WF-GE28LM33	2.17.01.0187	M33X2	25.0	34.0	17.5	18.0	39.0	41.0	41.0	0.168
		35	GES35LM42	2.03.01.0169	WF-GE35LM42	2.17.01.0188	M42X2	28.0	39.0	17.5	20.0	49.0	50.0	50.0	0.280
		42	GES42LM48	2.03.01.0170	WF-GE42LM48	2.17.01.0189	M48X2	30.0	42.0	19.0	22.0	55.0	55.0	60.0	0.354
S	630	6	GES06SM12	2.03.01.0171	WF-GE06SM12	2.17.01.0190	M12X1.5	20.0	28.0	13.0	12.0	17.0	17.0	17.0	0.030
		8	GES08SM14	2.03.01.0172	WF-GE08SM14	2.17.01.0191	M14X1.5	22.0	30.0	15.0	12.0	19.0	19.0	19.0	0.043
		10	GES10SM16	2.03.01.0173	WF-GE10SM16	2.17.01.0192	M16X1.5	22.5	31.0	15.0	12.0	21.0	22.0	22.0	0.054
		12	GES12SM18	2.03.01.0174	WF-GE12SM18	2.17.01.0193	M18X1.5	24.5	33.0	17.0	12.0	23.0	24.0	24.0	0.072
		14	GES14SM20	2.03.01.0175	WF-GE14SM20	2.17.01.0194	M20X1.5	27.0	37.0	19.0	14.0	25.0	27.0	27.0	0.095
	400	16	GES16SM22	2.03.01.0176	WF-GE16SM22	2.17.01.0195	M22X1.5	27.0	37.0	18.5	14.0	27.0	27.0	30.0	0.097
		20	GES20SM27	2.03.01.0177	WF-GE20SM27	2.17.01.0196	M27X2	31.0	42.0	20.5	16.0	32.0	32.0	36.0	0.155
		25	GES25SM33	2.03.01.0178	WF-GE25SM33	2.17.01.0197	M33X2	35.0	47.0	23.0	18.0	39.0	41.0	46.0	0.268
	250	30	GES30SM42	2.03.01.0179	WF-GE30SM42	2.17.01.0198	M42X2	37.0	50.0	23.5	20.0	49.0	50.0	50.0	0.421
		38	GES38SM48	2.03.01.0180	WF-GE38SM48	2.17.01.0199	M48X2	42.0	57.0	26.0	22.0	55.0	55.0	60.0	0.568

GES...M-WD

WF-GE...M-WD

A




Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel, zinc plated 碳钢, 镀锌		WF- GE06LM10WD	2.17.01.0200
1.4301 不锈钢, 304		WF- GE06LM10WD -SS	2.17.02.0200
1.4404 不锈钢, 316L		WF- GE06LM10WD -SU	2.17.03.0200

Series 系列	W.P. 工作压力	Tube O.D. 管子外径	Only Body Type 接头体型号	Order Code 订货号	Walform plus Type 订货号	Order Code 订货号	M	L5	L2	l	i	d	S1	S2	Weight kg 重量
L	315	6	GES06LM10WD	2.03.01.0181	WF-GE06LM10WD	2.17.01.0200	M10X1	15.5	23.0	8.5	8.0	13.9	14.0	14.0	0.013
		8	GES08LM12WD	2.03.01.0182	WF-GE08LM12WD	2.17.01.0201	M12X1.5	17.0	25.0	10.0	12.0	16.9	17.0	17.0	0.022
		10	GES10LM14WD	2.03.01.0183	WF-GE10LM14WD	2.17.01.0202	M14X1.5	18.0	26.0	11.0	12.0	18.9	19.0	19.0	0.029
		10	GES10LM18WD	2.03.01.0184	WF-GE10LM18WD	2.17.01.0203	M18X1.5	19.5	27.0	12.5	12.0	23.9	24.0	19.0	0.050
		10	GES10LM22WD	2.03.01.0185	WF-GE10LM22WD	2.17.01.0204	M22X1.5	21.0	29.0	14.0	14.0	26.9	27.0	19.0	0.080
		12	GES12LM16WD	2.03.01.0186	WF-GE12LM16WD	2.17.01.0205	M16X1.5	19.5	27.0	12.5	12.0	21.9	22.0	22.0	0.040
		12	GES12LM18WD	2.03.01.0187	WF-GE12LM18WD	2.17.01.0206	M18X1.5	19.5	27.0	12.5	12.0	23.9	24.0	22.0	0.047
		12	GES12LM22WD	2.03.01.0188	WF-GE12LM22WD	2.17.01.0207	M22X1.5	21.0	29.0	14.0	14.0	26.9	27.0	22.0	0.075
		15	GES15LM18WD	2.03.01.0189	WF-GE15LM18WD	2.17.01.0208	M18X1.5	20.5	29.0	13.5	12.0	23.9	24.0	27.0	0.051
		15	GES15LM22WD	2.03.01.0190	WF-GE15LM22WD	2.17.01.0209	M22X1.5	22.0	30.0	15.0	14.0	26.9	27.0	27.0	0.077
		18	GES18LM22WD	2.03.01.0191	WF-GE18LM22WD	2.17.01.0210	M22X1.5	22.0	31.0	14.5	14.0	26.9	27.0	32.0	0.074
		18	GES18LM18WD	2.03.01.0192	WF-GE18LM18WD	2.17.01.0211	M18X1.5	21.5	30.0	14.0	12.0	23.9	27.0	32.0	0.068
	250	22	GES22LM26WD	2.03.01.0193	WF-GE22LM26WD	2.17.01.0212	M26X1.5	24.0	33.0	16.5	16.0	31.9	32.0	36.0	0.103
		28	GES28LM33WD	2.03.01.0194	WF-GE28LM33WD	2.17.01.0213	M33X2	25.0	34.0	17.5	18.0	39.9	41.0	41.0	0.168
		35	GES35LM42WD	2.03.01.0195	WF-GE35LM42WD	2.17.01.0214	M42X2	28.0	39.0	17.5	20.0	49.9	50.0	50.0	0.281
		42	GES42LM48WD	2.03.01.0196	WF-GE42LM48WD	2.17.01.0215	M48X2	30.0	42.0	19.0	22.0	54.9	55.0	60.0	0.356
S	630	6	GES06SM12WD	2.03.01.0197	WF-GE06SM12WD	2.17.01.0216	M12X1.5	20.0	28.0	13.0	12.0	16.9	17.0	17.0	0.030
		8	GES08SM14WD	2.03.01.0198	WF-GE08SM14WD	2.17.01.0217	M14X1.5	22.0	30.0	15.0	12.0	18.9	19.0	19.0	0.042
		10	GES10SM16WD	2.03.01.0199	WF-GE10SM16WD	2.17.01.0218	M16X1.5	22.5	31.0	15.0	12.0	21.9	22.0	22.0	0.054
		12	GES12SM18WD	2.03.01.0200	WF-GE12SM18WD	2.17.01.0219	M18X1.5	24.5	33.0	17.0	12.0	23.9	24.0	24.0	0.071
		14	GES14SM20WD	2.03.01.0201	WF-GE14SM20WD	2.17.01.0220	M20X1.5	27.0	37.0	19.0	14.0	25.9	27.0	27.0	0.098
	400	16	GES16SM22WD	2.03.01.0202	WF-GE16SM22WD	2.17.01.0221	M22X1.5	27.0	37.0	18.5	14.0	26.9	27.0	30.0	0.095
		20	GES20SM27WD	2.03.01.0203	WF-GE20SM27WD	2.17.01.0222	M27X2	31.0	42.0	20.5	16.0	31.9	32.0	36.0	0.150
		25	GES25SM33WD	2.03.01.0204	WF-GE25SM33WD	2.17.01.0223	M33X2	35.0	47.0	23.0	18.0	39.9	41.0	46.0	0.264
		30	GES30SM42WD	2.03.01.0205	WF-GE30SM42WD	2.17.01.0224	M42X2	37.0	50.0	23.5	20.0	49.9	50.0	50.0	0.422
	315	38	GES38SM48WD	2.03.01.0206	WF-GE38SM48WD	2.17.01.0225	M48X2	42.0	57.0	26.0	22.0	54.9	55.0	60.0	0.569

EGE...G-WD

A



Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel, zinc plated 碳钢, 镀锌		EGE06LG1/8WD	2.03.01.1247
1.4301 不锈钢, 304		EGE06LG1/8WD-SS	2.03.02.1247
1.4404 不锈钢, 316L		EGE06LG1/8WD-SU	2.03.03.1247

Series 系列	W.P. Bar 工作压力	Tube O.D. 管子外径	Only Body Type 接头体	Order Code 订货号	G	L1	i	d	S1	S2	O-Ring O型圈	Weight kg 重量
L	315	6	EGE06LG1/8WD	2.03.01.1247	G 1/8 A	24.5	8.0	14.0	14.0	14.0	4.5x1.5	0.027
		8	EGE08LG1/4WD	2.03.01.1248	G 1/4 A	29.5	12.0	19.0	19.0	17.0	6.0x1.5	0.028
		10	EGE10LG1/4WD	2.03.01.1249	G 1/4 A	27.5	12.0	19.0	19.0	19.0	8.0x1.5	0.054
		12	EGE12LG1/4WD	2.03.01.1250	G 1/4 A	27.5	12.0	19.0	19.0	22.0	10x1.5	0.065
		12	EGE12LG3/8WD	2.03.01.1251	G 3/8 A	34.0	12.0	22.0	22.0	22.0	10x1.5	0.095
		15	EGE15LG1/2WD	2.03.01.1252	G 1/2 A	32.0	14.0	27.0	27.0	27.0	12x2	0.137
	250	18	EGE18LG1/2WD	2.03.01.1253	G 1/2 A	31.5	14.0	27.0	27.0	32.0	15x2	0.143
		22	EGE22LG3/4WD	2.03.01.1254	G 3/4 A	32.5	16.0	32.0	32.0	36.0	20x2	0.200
		28	EGE28LG1WD	2.03.01.1255	G 1 A	35.0	18.0	40.0	41.0	41.0	26x2	0.289
		35	EGE35LG11/4WD	2.03.01.1256	G 1 1/4 A	42.5	20.0	50.0	50.0	50.0	32x2.5	0.500
S	630	42	EGE42LG11/2WD	2.03.01.1257	G 1 1/2 A	46.5	22.0	55.0	55.0	60.0	38x2.5	0.718
		6	EGE06SG1/4WD	2.03.01.1258	G 1/4 A	27.0	12.0	19.0	19.0	17.0	4.5x1.5	0.053
		8	EGE08SG1/4WD	2.03.01.1259	G 1/4 A	29.5	12.0	19.0	19.0	19.0	6.0x1.5	0.064
		10	EGE10SG3/8WD	2.03.01.1260	G 3/8 A	32.0	12.0	22.0	22.0	22.0	8.0x1.5	0.093
		12	EGE12SG3/8WD	2.03.01.1261	G 3/8 A	34.0	12.0	22.0	22.0	24.0	10x1.5	0.100
		12	EGE12SG1/2WD	2.03.01.1262	G 1/2 A	35.0	14.0	27.0	27.0	24.0	10x1.5	0.140
	400	14	EGE14SG1/2WD	2.03.01.1263	G 1/2 A	36.5	14.0	27.0	27.0	27.0	11x2	0.157
		16	EGE16SG1/2WD	2.03.01.1264	G 1/2 A	37.0	14.0	27.0	27.0	30.0	13x2	0.170
		20	EGE20SG3/4WD	2.03.01.1265	G 3/4 A	43.0	16.0	32.0	32.0	36.0	16.0x2.5	0.273
		25	EGE25SG1WD	2.03.01.1266	G 1 A	48.0	18.0	40.0	41.0	46.0	20.0x2.5	0.493
	315	30	EGE30SG11/4WD	2.03.01.1267	G 1 1/4 A	51.0	20.0	50.0	50.0	50.0	25.0x2.5	0.691
		38	EGE38SG11/2WD	2.03.01.1268	G 1 1/2 A	60.0	22.0	55.0	55.0	60.0	33.0x2.5	0.934